STATEMENT

OF WORK (SOW)

FOR THE REBUILD OF THE AAV POWER TAKE OFF ASSEMBLY

NSN 2990-00-225-3220

0R POWER TAKEOFF ASSEMBLY WITH CONTAINER

> NSN 2990-00-118**-**4942

SOW-01-834-1-84409B-1/1

Dated 4 April 2000

STATEMENT OF WORK FOR THE REBUILD OF THE

POWER TAKE OFF ASSEMBLY NSN 2990-00-225-3220

OR.

POWER TAKE OFF ASSEMBLY WITH CONTAINER NSN 2990-00-118-4942

Table of Content

PARAGRAPH	TITLE	PAGE
1.0	Scope	1
1. J	Background	I
2.0	Applicable Document	1
2.1	Military Standards	1
2.2	Other Government Documents and Publications	1
2.3	Industry Standards	2
3.0	Requirements	2
3.1	General Tasks	2
3.2	Detailed Tasks	2
3.2.1	Phase I-Rebuild	3
3.2.2	Phase II-Inspection, Testing, and Acceptance	3
3.2.3	Phase III-Packaging, Handling, Storage,	3
	and Transportation (PHS&T)	
3.3	Configuration Control	4
3.4	Government Furnished Equipment/Government	5
	Furnished Materiel	
3.5	Contractor Furnished Materiel	5
3.6	Quality Assurance Provisions	5
4.0	Reports/Documentation	6

STATEMENT OF WORK FOR THE REBUILD OF THE POWER TAKE OFF ASSEMBLY NSN 2990-00-225-3220

OR

POWER TAKE OFF ASSEMBLY WITH CONTAINER NSN 2990-00-118-4942

- 1.0 SCOPE. This Statement of Work (SOW), along with TM 8F152B-25&P/A establishes and sets forth tasks and identifies the work efforts that shall be performed by the contractor facility in the rebuild of the Assault Amphibious Vehicle (AAV) Power Take-Off (PTO) or the PTO with Container, hereafter called the PTO or PTO with Container. This document contains minimum requirements to restore the PTO or PTO with Container to Condition Code "A". Condition Code "A" is defined as "serviceable/issuable without qualification, new, used, repaired or reconditioned material which is serviceable and issuable to all customers without limitations or restrictions". The PTO is identified by National Stock Number (NSN) 2990-00-118-4942.
- 1.1 <u>BACKGROUND</u>. Rebuild is defined as that maintenance technique to restore an item to a standard as near as possible to original or new condition in appearance, performance, and life expectancy. This is accomplished through complete disassembly of the item; inspection of all parts or components, repair or replacement of worn or unserviceable parts using original manufacturing tolerances and/or specifications and subsequent reassembly of the item.
- 2.0 <u>APPLICABLE DOCUMENTS</u>. The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DoDISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirement.

2.1 Military Standards

MIL-STD-2073-1C DoD Standard Practice for Military Packaging

MIL-STD-129 DoD Standard Practice for Military Marking

Military Standards (For Guidance-Only)

MIL-STD-973 Configuration Management

2.2 Other Government Documents and Publications

DoD 4160.21-M Defense Materiel Disposition Manual

DoD 4000.25-1-M MILSTRIP Manual

NAVICPINST 4491.2A Requisitioning of Contractor Furnished Material

from the Federal Supply System.

TM-4700-45/6B Installation of Repair/Overhaul Data Plates-All

Equipment End Items, Assemblies, and

Components

RS 3.4A Rebuild Standards for the AAV7A1

TM 2350-45 DMA Standard Procedures

TM-8F152B-25&P/A Power Plant Assembly AAV7A1

ECP 5183 Drawing Of Transmission/PTO

Drawing 2587768 Power Take-Off

Drawing 2589053 Power Take-Off With Container

DTD Multi Users Engineer Change Proposal Automated

Review System (MEARS) Document Type

Definition (DTD)

2.3 Industry Standards

ANSI/ISO/ASQC Quality Systems-Model for Quality Assurance in

Q9003-1994 Final Inspection and Test

Copies of Military Standards and Specifications are available from the DoD Single Stock Point, Defense Automation Product Service Philadelphia, Building 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, Commercial (215) 697-2179 or DSN 442-01279 or http://www.dodssp.daps.mil. Copies of handbooks, publications and other Government documents required by the contractor in connection with specific SOW requirements shall be obtained, in writing, from: Commander, Marine Corps Logistics

Bases, Attn: Publication Branch (Code 876), Albany, Georgia 31704-5000. Commercial (912) 439-5818/19, or DSN 567-5818/19. Copies of Drawings and Engineering Change Proposals required by the contractor shall be obtained in writing from Life Cycle Management Center, Attn (Code 825-3) 814 Radford Blvd Suite 20302, Albany, Georgia, 31704-0320, Commercial (912) 439-6410 or DSN 567-6410.

3.0 REQUIREMENTS

- 3.1 General Tasks. In fulfilling the specified requirements, the contractor shall:
- a. Provide materials, labor, facilities, and services necessary to troubleshoot, test, diagnose, engineer, integrate, install, repair, rebuild, and calibrate as required to make the PTO or the PTO with Container fully operational. Upon completion of rebuild, the PTO or the PTO with Container shall be Condition Code "A".
- b. Conduct final-on-site testing, which may be witnessed by Marine Corps Logistics Base Albany, Georgia (MARCORLOGBASEALB), (Code 834-1) representative at his/her discretion.
- c. The contractor shall be responsible for all structural, electrical, and mechanical requirements associated with the rebuild of the PTO or the PTO with Container as specified in TM-8F152B-25&P/A, RS 3.4A, MIL-STD-2073-1C, and MIL-STD-129.
- d. Ensure all PTO or PTO with Container meet the configuration of Naval Sea System Command Drawings 2587768 or 2589053.
- e. All mandatory replacement parts identified in TM-8F152B-25&P/A shall be replaced 100%. Economically repairable replacement parts may be reused if they meet the applicable inspection requirements in TM 2350-45. All parts shall be disposed of in accordance with DoD 4160.21-M.
- 3.2 <u>Detailed Tasks.</u> The following tasks describe the different phases for the rebuild of the PTO or the PTO with Container.
- 3.2.1 <u>Phase I Rebuild.</u> The contractor shall receive PTO or the PTO with Container for rebuild. The contractor shall then disassemble the PTO or the PTO with Container into components in accordance with the requirements in TM 8F152B-25&P/A and this SOW. The contractor shall be responsible for supplying all equipment, tools, test equipment, and materials, for the conduct of this effort. The contractor shall be responsible for the integration and assembly of all components. The Engineering Change Proposal (ECP) 5183, of this SOW, shall be applied during the rebuild process. The configuration

Identification for the PTO is defined by the specifications annotated on current revision level of Naval Sea System Command drawing 2587768. The PTO with Container is defined by the specifications annotated on current revision level of Naval Sea System Command drawing 2589053. Upon completion of the rebuild, the PTO or PTO with Container shall be in condition code "A". A Rebuild Data Plate shall be installed in accordance with TM-4700-45/6B.

3.2.2 Phase II - Inspection, Testing, and Acceptance

- a. The contractor shall provide a Certificate of Conformance with delivery of the final product attesting the product meets or exceeds the requirements of this SOW. The contractor will correct any deficiencies discovered.
- b. Inspection, testing, and acceptance of the PTO or the PTO with Container shall be conducted in accordance with TM 8F152B-25&P/A and ANSI/ISO/ASQC Q9003-1994.

3.2.3 Phase III - Packaging, Handling, Storage, and Transportation (PHS&T)

- a. The contractor shall be responsible for preservation and packaging for items repaired under the terms of this SOW. Items being prepared for long term storage, or immediate shipment to overseas destinations shall be level "A" in accordance with MIL-STD 2037-1C, Method 55 for NSN 2990-00-118-4942 and Method 52 for NSN 2990-00-225-3220. Items being prepared for domestic shipment, immediate use or short-term storage shall be to level "B".
 - b. Marking shall be in accordance with MIL-STD-129.
- e. The Marine Corps shall provide the contractor with the shipping address(es) for delivery of the repaired equipment. The contractor shall be responsible for arranging for shipment to the pre-designated site(s). The Marine Corps shall be responsible for transportation costs associated with the shipping the subject equipment to and from the contractor.

3.3 Configuration Management

The contractor shall apply configuration control to established configuration items. The contractor shall not implement a design or performance change to items without receiving prior authorization from the contracting activity. The need to deviate from the written procedures or materiel's contained in the technical manuals/engineering drawings shall be requested by the electronic submission of a Request for Deviation (RFD)/Request for Waiver (RFW). MIL-STD-973, paragraph 5.4.3 or 5.4.4, provide guidance for preparing

these configuration change documents. The contractor shall be furnished with MEARS DTD, and either the associated template for the production of electronic RED/REWs or the MEARS CREATE application. All electronic change submissions shall be prepared in accordance with the DTD. Delivery media and formats are contained in the application Contract Data Requirements List (CDRL).

b. The submission of electronic files shall be accomplished by the originator placing the RFD/RFW liles on the MCLBA shared drive, <u>matcomapps05/mears/foaav</u> or equivalent address. The originator shall notify the contracting activity of a RFD residing on applicable server by e-mail. As an alternative to placing the RFD/RFW on the server, the originator may e-mail the document using zip files.

3.4 Government Furnished Equipment (GFE) and Government Furnished Materiel (GFM)

GFE is government owned equipment authorized by contract for use by a commercial/government contractor. It is neither consumed during production nor incorporated into any product. GFM is material furnished to a contractor that will be consumed during the course of production or incorporated into a product being manufactured/remanufactured under a contract/SOW. In the event the Marine Corps does have GFE/GFM requirements the Management Control Activity (MCA) at MARCORLOGBASEALB (/MCA/Code 827-2) will coordinate required GFE and will maintain a central control on Marine assets in the Contractors possession. The MCA will forward a GFE Accountability Agreement to the Contractor for signature to establish a chain of custody and property responsibility for Marine Corps assets.

3.5 Contractor Furnished Materiel (CFM)

The Marine Corps has adopted the Navy's procedures regarding CFM (NAVICPINST 4491.2A). In the event that CFM is required for repair parts, the contractor will requisition through the DoD Supply System. DoD 4000.25-1-M, (MILSTRIP) Chapter 11 authorizes contractors to requisition through the DoD Supply System.

3.6. Quality Assurance Provisions

a. The performance of the contractor's quality of work performed, material provided and documents written shall be subject to in-process review and inspection by the MARCORLOGBASEALB (Code 834-1) representative during contract performance. Inspection may be accomplished at any work location. The MARCORLOGBASEALB (Code 834-1) representative requires at a minimum, two weeks notice of acceptance test to allow for sufficient time for MARCORLOGBASEALB (834-1) representative to witness the test if he or she desires. Inspection by the MARCORLOGBASEALB (834-1) representative of acceptance tests, material's and associated lists furnished hereunder does

CC	ONTRACT DA	ATA REQ	UIREMEN	TS LIST			Approved . 1704-018	38		
ng the data or on for reducir	codes, and completing and re ng this burden, to Department 4107 — 4 to the Delice of Mar	oformation is authorise riceving the collection of Defende, Washing	ned to everage 110 hours of Information. Send of the Hemispatrers Services	za, Directorna for Inf Project (0704-0188),	reputies forth	evice-ing instructions, scarching size to any other supers of dris coll dions and Reports 1215 Jefferson 2 20503. Please Did NOT RETU	existing data : faction of info Davis Highwa	rousses, goth roussion, inc ry, Suise 120	M	
. Send overp	tend form to the Government LINE ITEM NO.	B. EXHIBIT	Scer for the contract/FX	CATEGORY:			Other XX			
STÉM/IT	ĒM .	L TE.	CONTRACT/PR	TDF .	F. CONT		Jules AA	<u> </u>		
110	& CONTAINE	R,), SUBTITLA					17. PRICE GROUP
1	, in the same of t	Production St	atus Report		•	Monthly Production	Status F	leport		
ROJUŤÝ <i>(Da</i>	us Acquistion Document No	, [5.0	ONTRACT BÜFEREN	(IE	<u> </u>	A REQUIRING OFFICE				IE ESTIMATED TOTAL PRICE
D	I-MGMT-81255)W 4.1.b	JE 1910/08	MARCORLO	OGBASE	S (834)		
30 1020. LT	9. DIST STATEMENT REQUIRED	10 FREQUENCY MT	HLY	12 DATE OF FIRST Sec Blk	16			b. COPIES		ļ
CODE	۸ ا	11. AS OF DATE		I). DATE OF SUBSE MIRMISSION	QUENT	▲ ADDRŁ\$SEE	Druft	Nog.	Rapro	
MARKS.	<u> </u>	<u> </u>				MCLBA (834-1)	 	1	0	
				C 11		WELDT (4511)	 		<u> </u>	
k 4 - C	ontractor forma These paragrap	t is authoriz	ted. Delete th	e tollowing aliverable: 1	6 I		∔ —	 -	 	
	. These paragrap 2.5, 10.2.6, and		bbth to true a	6117014010. 1	0.1,	 	-	<u> </u>		
·									<u> </u>	
aragrap	hs 10.2.4 and 1	0.2.7, replac	e "CLIN" w	th "MWSLI	***	ļ — —	┼	 -	 	
ster We	ork Schedule Li	ne Item) Nu	ımber.							
cks 10 a	and 12 - The rep	oort shall be	submitted or	n the tenth o	f cach	ļ———	┼	 	 - -	•
th. The	e first submissio	n shall be 3	0 days after t	he contract a	award.				1	
- 1	.:	411 ls.s	economisted 1	ria E-Mail to	the		 	 	 	
: Produc	etion Status Rep address: Hoffma	юrι snaπ ος mRE@matα	om.usmc.mi	/14 L- VIAIL W	LIL		+			
_							Ι.	_		•
	n Statement A:	Approved f	or public rele	ase, distribu	tion is		╁	+-	 	
imited.							,	1		
							┿	+		
									1	:
							 		 	
							+	 	 	
						<u> </u>	+	+	+	
							Τ	 . —	 -	
							_	 	 	
								_		
						 	-}	┤·─	-}	
							<u> </u>		—	
						15 TOTAL	+	+		
PREPARI	DE 1111		II. DATE	1. APPROVE	130	Chem	J. DA	TÈ (3/31)		
E. Hoffm		0	/ PREVIOUS	EDITION MAY BE	V3 V2	Janear	-1-7	Page 1	of 1 Page	
r PŲKM	LANGE OF SECEN	•,			ر	Designe	d water Perfs	ra. Pre, Wi	HS/D/er, Aug %	i i

CONTRACT DATA REQUIREMENTS LIST

Form Approved

(l Data Item) OMB No. 1704-0188 Public reporting builden for this collection of information is authorized to everage 113 hours per response, including the time for reviewing instructions, cearbing existing data sources, gathering and miniming the data needed, and completing and reviewing the collection of information. Send completing this burden extinate or any other aspect of this collection of information, including gestions for reducing this hurden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports 1213 Jefferson Davis Highway, Sunic 1204, ington, VA 22202 4302 and to the Office of Management and Budger, Priparate Reduction Project (1704-0188), Washington, DC 20503. Please DO NOT RETURN your form to either of these reases. Send completed form to the Government assuing Contract Officer for the concrete PR No. Sends in black E. CONTRACT LINE ITEM NO. B. EXHIBIT C. CATEGORY: Other XXX SYSTEM/ITEM E. CONTRACT/PR No. F. CONTRACTOR A PIO & CONTATNED 7 SUDTITLE Parts Usage Report Monthly Parts Usage Report 1001 AUTHORITY (Date Acousticas Instanted And.) SOW 4.1.a DI-MISC-80704 MARCORLOGBASES (834) OD 250 REQ DIST STATEMENT DISTRIBUTION REQUIRED LT MTHLY See Blk 16 APP CODE 11. AS OF DATE LE DATE OF SUBSEQUENT a. ADDRESSEE SUBMISSION fant] REMARKS MCLBA (834-1) 0 0 lock 4 - Contractor format is authorized. Delete the following ragraphs. These paragraphs do not apply to this deliverable: 10.1, 10.2 0.2.4, 10.2.5, 10.2.6, 10.2.7, 10.2.8, and 10.2.9. locks 10 and 12. The report shall be submitted on the tenth of each onth. The first submission shall be 30 days after the contract award. he Parts Usage Report shall be transmitted via E-Mail to the following dress: HoffmanRE@matcom.usmc.mil istribution Statement A: Approved for public release, distribution is ilimited. 15 TOTAL PREPARED BY H. DATE I APPROYED BY:

03/36/00

E. Hoffman 🛦

D FORM 1923-1, AUC/964(EC)

17 PRICE GROUP IS ESTIMATED

TÓTAL PRICE

Page I of 1 Pages

03/30/00

CONTRACT DATA REQUIREMENTS LIST Form Approved (1 Data Item) OMB No. 1704-0188 to Public reporting burden for this collection of information is authorized to average 110 hours per response, including the time for reviewing incumination, wantling evituring data sources, epithering and unspiring the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including ggestions for reducing this burden, to Department of Defense, Washington Headquariers Services, Detectorate for Information Operations and Reports 1215 Jefferson Davis Highway, Suite 1204, faceton, VA 22202-4102 and to the Office of Management and Rindget, Paperwork Reduction Project (#704-0188), Washington, DC 20503 Places DO NOT RETURN your form to either of these directed. Send completed form to the Government issuing Contract Officer for the contractors. CONTRACT LINE ITEM NO. B. EXHIBIT C. CATEGORY: TM Other XXX SYSTEM/ITEM E. CONTRACT/PR No. F. CONTRACTOR DATA ITEM No. 12 THE OF DATA TIEM) SLIGITILE Request for Waiver (RFW) Configuration Management C001 AUTHORITY /Data Acquirmon [Incument No.) 5. CONTRACT REFERENCE 6. REQUIRES OFFICE DI-CMAN-80641B SOW 3.3 MARCORLOGBASES 825 DD 250 REQ 9. DIST STATEMENT TO PREQUENCY 12 DATE OF FIRST SUBMISSION 14 DISTRUBUTION REQUIRED h COPTES LT See Blk 16 APP CODE IT AS OF DATE DATE OF SUBSEQUENT ADDRESSEE Α SUBMISSION REMARKS MCLBA 825-2 Ø 1EARS CREATE Files shall be provided as an electronic submission. my supporting documentation shall be submitted as enclosures or gures to the MEARS text files. MEARS text files shall be created in 48 Word, MS Excel or CCITT Group IV graphic files. Group IV raphic files shall include MIL-STD-1840 CAL data file header. Graphic ensity for drawings shall be submitted as 600dpi. FWs or zip files shall be transmitted via e-mail to the following ddress: <u>mbmatcomeonfigmngmnt@matcom.usme.mil</u> Distribution Statement A: Approved for public release, distribution is nlimited.

04/06/00 Page 1 vs 1 Pages

J DATE

15. TOTAL

PREVIOUS EDITION MAY BE U

4-6-00

I. APPROMED BY

H DATE

REPARED BY

ong Smith

كصعبح

DD FORM 1423-1, AUG 96 (EG)

Designed ming Perform Pro. WHS/D/or. Aug 96

17 PRICE GROUP

18. ESTIMATED TOTAL PRICE

	ONTRACT D	Form Approved OMB No. 1704-0188							
intaining the data o gentions for reduci lengue, VA 23202-	ecded, and completing and a ng this hurden, to Departme	reviewing the coll ent of Defense, Wi Janagement and B	lection of information S tablegree Headquariers S Judget, Paperwork Reduct	erd comments regarding thervices, Directorate for Int Low Project (0704-0188),	sis burden estir formazion Opo	r reviewing izetrustions, searchiz make or any other aspect of this o mitirant and Reports 1213 Telfors OC. 20503. Please DO NOT RET	ollection of int in David High	ormateur, inc esty, Smith 120	leding M
	LINE ITEM NO.	В. ЕХНІВ		C. CATEGORY.		тм	Other X	·····	
. ѕүзтемит			E. CONTRACT/P		F. CONT	RACTOR	<u> </u>	<u></u>	
DATA ITEM NA	CONTAINER 2. TITLE OF DATA ITES				3. SUBTITL	_			
C0 02	· R	equest for l	Deviation (RFI))		Configuration N	danagem	ent	
AUTHORETY (III	(т. Ангрийрийска Перезимерт М	ψ.J	S CONTRACT REFER	EMQE		6 REQUIRING OFFICE		•	
DI-CMAN-80640B SOW 3.3 DD 250 REQ. [19, DIST STATEMENT IN FREQUENCY DISC DATE OF FIRST SURVISS)					SIA John Jinhaum	MARCOR		ES 825	
อธารม ร.ศ จ. L T	9. DIST STATEMENT REQUIRED	to FREQUE	ÀS REQ	See Blk		III. DIS	STRIBUTION b. COPIES FINAL Draft Reg Repro		
APP CODE	A	11. AS OF DA	YTB	13. DATE OF SUBSE SUBMISSION	QUENT	≥ ADDRESSEE			
S. REMEARKS				l		MCLBA 825-2	0	1	0
ŒARS CR	ŒATE Files sh	all be pro	vided as an el	cetronic subm	ission.		 		
	ting documenta	_					 -		
	e MEARS text						+		
-	MS Excel or CO						 	<u> </u>	
	s shall include l					d			
ensity for o	drawings shall b	be submit	ted as 600dpi.		-				
	_		_				+		
FDs or .zij	p files shall be	transmitte	ed via e-mail t	o the following	g		+		
ldress: <u>mb</u>	matcomconfig	mngmnt@	<u>gmate</u> om jusm	<u>c.mi</u> l					
istribution	Statement A:	Approved	for public rel	esse distribut	ion is		1		
ISHTOULION	Blatement A.	Approved	for public fer	ease, uisii ibui:					
alimited						-	1-		
ilimited.							-		
ilimited.									
alimited.									
ılimited.							•		
nlimited.									
nlimited.									
nlimited.							•		
nlimited.									
nlimited.									
nlimited.							•		
nlimited.									
nlimited.									
nlimited.									
nlimited.									
nlimited.									
nlimited.									

O PREPARED BY: II. DATE LAPPROVED BY:

2-3-00 Doug Smith DD FORM 1423-1, AUG 96 (EG) PREVIOUS EDITION MAY BE USED Page 1 of 1 Pages
Designed using Perform Pro, WHS-D/or, Apg 96

17 PRICE GROUP

CR ESTIMATED TOTAL PRICE

15. TOTAL